

Dear Madam/Sir,

Concerns: **Airbus Approvals**

We herewith have pleasure in informing you we are Airbus approved for the delivery of the following stock shapes following Mitsubishi's delivery program:

- **Ertacetal® C and H** according to the requirements of **ASNA5130** (PLATE).
- **Ertacetal® H** according to the requirements of **ASNA5117** (ROD, TUBE).
- **Ertalon® 66 GF30** according to the requirements of **ASNA3539** (ROD).
- **Ertalon® 66 SA** according to the requirements of **ASNA3526** (ROD and PLATE)
- **Nylatron® 66 SA (EQUIVALENT to Ertalon® 66 SA)** according to the requirements of **ABS5935, ABS5936 AND ABS5937** (ROD and PLATE)
- **Nylatron® GS** according to the requirements of **ABS5935, ABS5936 AND ABS5937** (ROD and PLATE)
- **Nylatron® 66 GF30 (EQUIVALENT to Ertalon® 66 GF30)** according to the requirements of **ABS5932, ABS5933 AND ABS5939** (ROD and PLATE)
- **Ertalon® 12 SA** according the requirements of **ASNA3527** (ROD and PLATE)
- **Ketron® 1000 PEEK** according to the requirements of **ABS 5695 and 5903** (ROD, PLATE)
- **Duratron® T4203 PAI** according to the requirements of **ABS 5914 and 5913** (ROD, PLATE)
- **Duratron® T4301 PAI** according to the requirements of **ABS 5914 and 5913** (ROD, PLATE)
- **Ertacetal® C** according to the requirements of **ABR 6-0199** (ROD, PLATE, TUBE)
- **Ertalon® 66 SA** according to the requirements of **ABR 6-0121** (ROD, PLATE, TUBE)
- **Fluorosint® 500** according to the requirements of **ABR 6-0187** (ROD, PLATE, TUBE)
- **Nylatron® GS** according to the requirements of **ABR 6-0124** (ROD, PLATE, TUBE)

In alliance with this specification the following sizes with specific codes can be used, SEE THE FOLLOWING PAGES:

ASNA	Material	Shape	Thickness (mm)	Diameter (mm)	Colour	Code
3526	Ertalon <sup>®</sup> 66 SA	Plate	0,5		Natural	ASNA35260205
			1,6		Natural	ASNA35260216
			2		Translucent	ASNA35260220
			3		Natural	ASNA35260230
			5		Natural	ASNA35260250
			15		Natural	ASNA35260315
			16		Natural	ASNA35260316
			20		Natural	ASNA35260320
			30		Natural	ASNA35260330
			30		Black	ASNA35260331
			50		Natural	ASNA35260350
			3526		Ertalon <sup>®</sup> 66 SA	Rod
12	Natural	ASNA35261112				
16	Natural	ASNA35261116				
18	Natural	ASNA35261118				
20	Natural	ASNA35261120				
30	Natural	ASNA35261130				
50	Black	ASNA35261150				
60	Natural	ASNA35261160				
100	Natural	ASNA35261200				
		180	Natural	ASNA35261280		

ASNA	Material	Shape	Thickness (mm)	Diameter (mm)	Colour	Code
3539	Ertalon <sup>®</sup> 66 GF30	Rod		22	NA	ASNA35390522
				25	NA	ASNA35390525
				30	NA	ASNA35390530
				70	NA	ASNA35390570
				100	NA	ASNA35390600
				125	NA	ASNA35390625
5117	Ertacetal <sup>®</sup> H	Rod		15	Black	ASNA51173000
				20	Black	ASNA51173020
				20	Natural	ASNA51172020
				30	Natural	ASNA51172130
				60	Natural	ASNA51172060
				80	Natural	ASNA51172080
				120	Natural	ASNA51172220
				130	Natural	ASNA51172230
5117		Tube		30/20 (OD/ID)	Natural	ASNA51172030
5130		Plate		10	White	ASNA51303100
				16	White	ASNA51303116
				40	White	ASNA51303400
				40	Black	ASNA51304400
5130	Ertacetal <sup>®</sup> C	Plate		10	White	ASNA51303100
				2	White	ASNA51303102
				2,5	White	ASNA51303025
				3	White	ASNA51303103
				4	White	ASNA51303104
				5	White	ASNA51303105
				16	White	ASNA51303116
				40	White	ASNA51303400
				40	Black	ASNA51304400

**= INTERCHANGEABILITY BETWEEN ASNA AND NEW ABS**

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Approved Width (plate)	Colour*	Code **
5935		Plate, strip	0,79		25,4	A, B	ABS5935SA079X
			1		25,4	A, B	ABS5935SA100X
			3,17		25,4	A, B	ABS5935SA317X
5935	Nylatron® 66 SA	Plate	1		> 500	A, B	ABS5935PA10X
			1,6		> 500	A, B	ABS5935PA16X
			2		> 500	A, B	ABS5935PA20X
			3		> 500	A, B	ABS5935PA30X
			4		> 500	A, B	ABS5935PA40X
			5		> 500	A, B	ABS5935PA50X
			6		> 500	A, B	ABS5935PA60X
			8		> 500	A, B	ABS5935PA80X
			10		> 500	A, B	ABS5935PA100X
			12		> 500	A, B	ABS5935PA120X
			15		> 500	A, B	ABS5935PA150X
			16		> 500	A, B	ABS5935PA160X
			20		> 500	A, B	ABS5935PA200X
			25		> 500	A, B	ABS5935PA250X
			30		> 500	A, B	ABS5935PA300X
			36		> 500	A, B	ABS5935PA360X
			40		> 500	A, B	ABS5935PA400X
45	> 500	A, B	ABS5935PA450X				
50	> 500	A, B	ABS5935PA500X				
60	> 500	A, B	ABS5935PA600X				
80	> 500	A, B	ABS5935PA800X				
100	> 500	A, B	ABS5935PA1000X				
5937		Plate	6		>300	A, B	ABS5937A006X
			8		>300	A, B	ABS5937A008X
			10		>300	A, B	ABS5937A010X
			12		>300	A, B	ABS5937A012X
			16		>300	A, B	ABS5937A016X
			20		>300	A, B	ABS5937A020X
			25		>300	A, B	ABS5937A025X
			36		>300	A, B	ABS5937A036X
			40		>300	A, B	ABS5937A040X
			45		>300	A, B	ABS5937A045X
		50	>300	A, B	ABS5937A050X		

= INTERCHANGEABILITY BETWEEN ASNA AND NEW ABS

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Approved Width (plate)	Colour*	Code **
5936	Nylatron® 66 SA	Rod		4		A, B	ABS5936A004X
				5		A, B	ABS5936A005X
				6		A, B	ABS5936A006X
				8		A, B	ABS5936A008X
				10		A, B	ABS5936A010X
				12		A, B	ABS5936A012X
				14		A, B	ABS5936A014X
				16		A, B	ABS5936A016X
				18		A, B	ABS5936A018X
				20		A, B	ABS5936A020X
				22		A, B	ABS5936A022X
				25		A, B	ABS5936A025X
				28		A, B	ABS5936A028X
				30		A, B	ABS5936A030X
				32		A, B	ABS5936A032X
				36		A, B	ABS5936A036X
				40		A, B	ABS5936A040X
				45		A, B	ABS5936A045X
				50		A, B	ABS5936A050X
				55		A, B	ABS5936A055X
				56		A, B	ABS5936A056X
				60		A, B	ABS5936A060X
				63		A, B	ABS5936A063X
				65		A, B	ABS5936A065X
				70		A, B	ABS5936A070X
				75		A, B	ABS5936A075X
				80		A, B	ABS5936A080X
				90		A, B	ABS5936A090X
				100		A, B	ABS5936A100X
				110		A, B	ABS5936A110X
125	A, B	ABS5936A125X					
140	A, B	ABS5936A140X					
150	A, B	ABS5936A150X					
160	A, B	ABS5936A160X					
165	A, B	ABS5936A165X					
180	A, B	ABS5936A180X					
200	A, B	ABS5936A200X					

\* A = Natural, B = Black

\*\* X is colour code

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Approved Width (plate)	Colour*	Code **
5935		Plate, strip	0,79		25,4	A	ABS5935SB079A
			1		25,4	A	ABS5935SB100A
			3,17		25,4	A	ABS5935SB317A
5935		Plate	1		> 500	A	ABS5935PA10A
			3		> 500	A	ABS5935PA30A
			4		> 500	A	ABS5935PA30A
			6		> 500	A	ABS5935PA30A
			8		> 500	A	ABS5935PA80A
			10		> 500	A	ABS5935PA100A
			12		> 500	A	ABS5935PA120A
			15		> 500	A	ABS5935PA150A
			16		> 500	A	ABS5935PA160A
			20		> 500	A	ABS5935PA200A
			25		> 500	A	ABS5935PA250A
			30		> 500	A	ABS5935PA300A
			36		> 500	A	ABS5935PA360A
			40		> 500	A	ABS5935PA400A
			45		> 500	A	ABS5935PA450A
5937	Nylatron® GS	Plate	6		>300	A	ABS5937B006A
			8		>300	A	ABS5937B008A
			10		>300	A	ABS5937B010A
			12		>300	A	ABS5937B012A
			16		>300	A	ABS5937B016A
			20		>300	A	ABS5937B020A
			25		>300	A	ABS5937B025A
			36		>300	A	ABS5937B036A
			40		>300	A	ABS5937B040A
			45		>300	A	ABS5937B045A
5936		Rod		4		A	ABS5936B004A
				5		A	ABS5936B005A
				6		A	ABS5936B006A
				8		A	ABS5936B008A
				10		A	ABS5936B010A
				12		A	ABS5936B012A
				14		A	ABS5936B014A
				16		A	ABS5936B016A
				18		A	ABS5936B018A
				20		A	ABS5936B020A
				22		A	ABS5936B022A
				25		A	ABS5936B025A
				28		A	ABS5936B028A
				30		A	ABS5936B030A
				32		A	ABS5936B032A
36	A	ABS5936B036A					
40	A	ABS5936B040A					
45	A	ABS5936B045A					
50	A	ABS5936B050A					

**= INTERCHANGEABILITY BETWEEN ASNA AND NEW ABS**

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Approved Width (plate)	Colour*	Code**
5933	Nylatron® 66 GF30	Rod		10		B	ABS5933B010B
				12		B	ABS5933B012B
				14		B	ABS5933B014B
				16		B	ABS5933B016B
				18		B	ABS5933B018B
				20		B	ABS5933B020B
				22		B	ABS5933B022B
				25		B	ABS5933B025B
				28		B	ABS5933B028B
				30		B	ABS5933B030B
				32		B	ABS5933B032B
				36		B	ABS5933B036B
				40		B	ABS5933B040B
				45		B	ABS5933B045B
				50		B	ABS5933B050B
				55		B	ABS5933B055B
				56		B	ABS5933B056B
				60		B	ABS5933B060B
				63		B	ABS5933B063B
				65		B	ABS5933B065B
	70		B	ABS5933B070B			
	75		B	ABS5933B075B			
	80		B	ABS5933B080B			
	90		B	ABS5933B090B			
	100		B	ABS5933B100B			
	110		B	ABS5933B110B			
	125		B	ABS5933B125B			
	140		B	ABS5933B140B			
	150		B	ABS5933B150B			
5939		Plate	10		>300	B	ABS5939B010B
			12		>300	B	ABS5939B012B
			16		>300	B	ABS5939B016B
			20		>300	B	ABS5939B020B
			25		>300	B	ABS5939B025B
			36		>300	B	ABS5939B036B
			40		>300	B	ABS5939B040B
			45		>300	B	ABS5939B045B
5932		Plate	10		>500	B	ABS5932B100B
			12		>500	B	ABS5932B120B
			15		>500	B	ABS5932B150B
			16		>500	B	ABS5932B160B
			20		>500	B	ABS5932B200B
			25		>500	B	ABS5932B225B
			30		>500	B	ABS5932B300B
			36		>500	B	ABS5932B360B
			40		>500	B	ABS5932B400B
			45		>500	B	ABS5932B450B
			50		>500	B	ABS5932B500B
			60		>500	B	ABS5932B600B
80		>500	B	ABS5932B800B			
100		>500	B	ABS5932B1000B			

\* A = Natural, B = Black

ASNA	Material	Shape	Thickness (mm)	Diameter (mm)	Approved Width (plate)	Colour	Code
3527	Ertalon® 12 SA	Plate	0,5			NA	ASNA35270605
			1			NA	ASNA35270610
			12			NA	ASNA35270612
			14			NA	ASNA35270614
			2			NA	ASNA35270620
			3			NA	ASNA35270630
			4			NA	ASNA35270640
			6			NA	ASNA35270660
3527		Rod			8	NA	ASNA35270708
					10	NA	ASNA35270710
					18	NA	ASNA35270718
					20	NA	ASNA35270720
					22	NA	ASNA35270722
					25	NA	ASNA35270725
					40	NA	ASNA35270740
	42				NA	ASNA35270742	
			60	NA	ASNA35270760		

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Colour	Code	
5695	Ketron® 1000 PEEK natural	Plate	5			Natural	ABS5695A05
			10			Natural	ABS5695A10
			20			Natural	ABS5695A20
			30			Natural	ABS5695A30
			40			Natural	ABS5695A40
			60			Natural	ABS5695A60
5903		Rod			15	Natural	ABS5903A0015
					22	Natural	ABS5903A0022
					28	Natural	ABS5903A0028
					36	Natural	ABS5903A0036
					150	Natural	ABS5903A0150

ABS	Material	Shape	Thickness (mm)	Diameter (mm)	Colour	Code	
5913	Duratron® T4203 PAI	Plate	6,35			NA	ABS5913AA
			12,7			NA	ABS5913AB
			25,4			NA	ABS5913AC
5914		Rod		50,8	NA	ABS5914A50	
5913	Duratron® T4301 PAI	Plate	9,5			NA	ABS5913BD
			12,7			NA	ABS5913BE
			15,8			NA	ABS5913BF
			19,1			NA	ABS5913BG
5914		Rod			19,1	NA	ABS5914B19
					38,1	NA	ABS5914B38



<b>ABR</b>	<b>Material</b>	<b>Shape</b>	<b>Thickness (mm)</b>	<b>Diameter (mm)</b>	<b>Colour</b>	<b>Code</b>
6-0187	Fluorosint <sup>®</sup> 500	Rod, Plates, Tubes	NA	NA	NA	NA
6-0121	Ertalon <sup>®</sup> 66SA	Rod, Plates, Tubes	NA	NA	NA	NA
6-0124	Nylatron <sup>®</sup> GS	Rod, Plates, Tubes	NA	NA	NA	NA
6-0199	Ertacetal <sup>®</sup> C	Rod, Plates, Tubes	NA	NA	NA	NA

